



Terex Demag AC250 Service Schedule

Date: 25-2-26 Rego: YMN-32M Plant ID: 950

Make	Terex	Model	AC250
Service Type	500hr	Serial No:	82413
Service Hrs.	13,500hr <i>13,461 hrs</i>	KM	<i>51,486 kms</i>
Next Service	13,750hr	Due (+/- 50Hr. Reading)	

Status type: Satisfactory ✓ Action Required * Not Applicable NA

Description	Status	Action/ Comments
250hr / 750hr Service		
CARRIER		
Check Hydraulic Pump PTO, Mounting & Bolts	/	
Check Hydraulic Tank Oil Level	/	
Check for Air Leaks ALL Points	/	
Check for Fuel Leaks ALL Points	/	
Check for oil leaks ALL points	/	
Check Transmission/ retarder oil level	/	
Check Transfer Case Oil Level	/	
Check Transfer Case Cooler System for Leaks	/	
Check ALL Differentials Oil Levels	/	
Check Planetary Reduction (s) Oil Level	/	
Check Susp Cylinder - Condition / Leaks / Positions	/	
Lubricate suspension cylinder pivots	/	EP2 grease
Check chassis frame and components for cracks or defects	/	
Check ALL Suspension components - wear / tightness	/	
Check ALL steering components - wear/ tightness/ hoses	/	
Check ALL Drive / Jack Shaft Universal Joints	/	
Check / Lube ALL Universal Joints on Drive Line	/	
Check Brake Pads/ linings wear & Record thickness	/	
	L/H	R/H
		Minimum Thickness = 2 mm
Axle 1	/	
Axle 2	/	
Axle 3	/	
Axle 4	/	
Axle 5	/	
Check Park Brake Operation	/	
Check Service Brake Operation	/	
Check Brake Expanding Cylinders	/	
Check Low Air Warning Devices	/	
Check all covers, panels for security	/	
Check Diff Lock Operation	/	



Terex Demag AC250 Service Schedule

Drain ALL Air Tanks of Water / Sediments	/	
Inspect steering hoses	//	
Lube ALL axles, and steering knuckle bearing	//	EP2 Grease
Top up auto greaser (if fitted)		EP2 Grease
Check outrigger pads, rails and retainers for condition	/	
Inspect outrigger length cables and sensors	//	
Lubricate outrigger beams	//	Lagermeister paste
Check Battery Electrolyte Level	//	
Visual Inspect Air Intake pipes & hoses	//	
Check Coolant & Inhibitor Level / Concentration		
Check ALL Coolant / Heater System Hoses	/	
Visual Inspect Radiator Screen & Cooler Cores for Blockage	/	
Check Fan Operation	/	
Check Alternator & A/C Compressor Mount/Bolts	//	
Check Engine Drive Belts	//	
Check Engine, Lines & Hoses for Abrasion & Position	//	
Check Engine Piping for Leaks	//	
Visual Inspect Engine Mount(s) Condition	//	
Refill Windscreen Washer Water & Test Operation	/	
Check Horn(s)	/	
Check Wiper Operation	//	
Check Wheel nut tension	//	
Check Tyre Pressures & Tyre Condition	/	Tyres low on tread axles 1+4
Check Seat Belt Condition / Operation	//	
Check ALL Work Lights	//	
Check ALL Instruments for Operation/Illumination	//	
Check clearance lights	/	Replaced number plate globe
Check Head Lights HI/LO	//	Replaced LHS headlight globe
Check Stop Lights	//	
Check Reverse Light(s) & Alarm	//	
Check Indicators & Audible Warning	//	Replaced LHS front indicator globe
Check ALL Warning Lights and Buzzers	//	
Spray all chrome rods with protectant	/	Decrodyn spray
Service trailer coupling and check air/electrical connections	NA	If fitted
Inspect dolly for any defects	NA	If fitted
SUPERSTRUCTURE		
Lube Slew Gear / Bearing	/	EP2 Grease
Lubricate slew gear open teeth	//	Ceplattyn spray
Check slew gearbox oil level	//	LSX90
Lubricate slew gearbox pinion bearing	//	EP2 Grease
Visually Check Slew Bolts / Gear connections	//	
Check Winch Gearbox Oil Level	//	
Lubricate (grease) winch drum bearing	//	EP2 Grease
Lubricate Hook block	//	
Lubricate main boom sliding surfaces	//	Bechem Berlub Grease
Check for correct operation of LPU and lube	/	



Terex Demag AC250 Service Schedule

Spray all chrome cylinder rods	/	Decrolyn Spray
Top up auto greaser (if fitted)		EP2 Grease
Lubricate Luff Cyl. Bushes	/	EP2 Grease
Lubricate Rear Boom Pivot Bearings	/	EP2 Grease
Inspect Main Boom Track Rollers	/	
Inspect Main Boom extension rope track rollers	/	
Visual check for cracks as per visual inspections list	/	
Check counterweight operation/ cylinder position sensors	/	
Check Winch Rope Condition & Lubrication	/	
Check Winch Unit Mountings & Bolts	/	
Visual Inspection of ALL Boom Sect. Damage	/	
Inspect ALL Sheaves on Boom Assy.	/	
Check sheave roller bearings	/	
Check Hoist Limit Switch Operation	/	
Check ALL Hydraulics for Correct Operation	/	
Check ALL Hydraulic Cyl's for Damage/Leaks	/	
Check ALL Hydraulic Hoses for Damage/Leaks	/	
Check ALL Wiring for Damage & Correct Routing	/	
Check Fan Operation	/	
Check Clearance Lights	/	
Check ALL Work Lights	/	
Check all override key switches return to neutral position	/	
Check ALL Instruments for Operation/Illumination	/	
Check Horn(s)	/	
Check Wiper Operation	/	
Check ALL Warning Lights and Buzzers	/	
Check Rotating Light Operation	/	
Check Interior Light Operation	/	
Check AM/FM Radio Operation	/	
Check Cabin for Water Leaks	/	
Check Seat Mounting & Operation	/	
Refill Windscreen Washer Water & Test Operation	/	Upper and Lower
Check Heater Operation	X	
Check Air Conditioning	/	
Check all crane functions for correct operation	/	
Lift Test Weight if Available	/	
Check LMI / SLI Operation / Calibration	/	
Anti-two block operational	/	
Boom length & angle indicators	/	
Manual boom length & angle indicators	/	
Level indicators	/	
Emergency controls (E-Stops)	/	
Operation & safety manuals	/	
2 way radios condition / operation	/	
500hr Service		
Carry Out 250 / 750 Hour Service Schedule		
Add the Following:		

